



USIQUÍMICA

# SDS – SAFETY DATA SHEET

**EVA SIPCHEM 2518**

FDS nº 252.35.2

Revision: 01

Review date: 02/06/2026

Page: 1/8

De acordo com a ABNT NBR 14725: 2023

## SECTION 1: Identification

### 1.1. GHS product identifier

Product form : Substance  
Trade name : EVA SIPCHEM 2518  
Chemical name : Acetic acid ethenyl ester polymer with ethene ; EVA  
CAS-No. : 24937-78-8  
Product code : 252.35.2

### 1.2. Other means of identification

No additional information available

### 1.3. Recommended use of the chemical and restrictions on use

Recommended use : Industrial use. Polymer used in the manufacture of soles, toys, and polymer blends.  
Restrictions on use : This product should not be used in applications other than those mentioned above without first consulting the supplier.

### 1.4. Supplier's details

USIQUÍMICA DO BRASIL LTDA  
Rua da Lagoa, 431 – Cumbica – Guarulhos – SP  
Telefone: (11) 3821-7000 – Tronco chave

### 1.5. Emergency phone number

Emergency number : (0800) 0111-767 - (0800) 7071-767 SUATRANS

## SECTION 2: Hazard identification

### 2.1. Classification of the substance or mixture

#### Classification according to GHS BR (ABNT NBR 14725: 2023)

Chemical product not classified as hazardous according to ABNT NBR 14725

### 2.2. GHS Label elements, including precautionary statements

#### GHS BR labeling

Precautionary statements (GHS BR) : Not required

### 2.3. Other hazards which do not result in classification

No additional information available



USQUÍMICA

# SDS – SAFETY DATA SHEET

**EVA SIPCHEM 2518**

FDS nº 252.35.2

Revision: 01

Review date: 02/06/2026

Page: 2/8

De acordo com a ABNT NBR 14725: 2023

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Name	GHS product identifier	%	Classification according to GHS BR (ABNT NBR 14725: 2023)
Acetic acid ethenyl ester, polymer with ethene (Main constituent)	CAS-No.: 24937-78-8	>99,5	Not classified

### 3.2. Mixtures

Not applicable

## SECTION 4: First-aid measures

### 4.1. Description of necessary first-aid measures

First-aid measures general	: If you feel unwell, seek medical advice.
First-aid measures after inhalation	: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
First-aid measures after skin contact	: After contact with skin, take off immediately all contaminated clothing, and wash immediately with plenty of water.
First-aid measures after eye contact	: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
First-aid measures after ingestion	: Do NOT induce vomiting. Rinse mouth out with water.
Personal protection for first-aid responders.	: Even though no specific hazards are defined, first-aiders should wear eye protection, gloves and disposable half mask. Consider additional protection if repeated or prolonged exposition is likely.

### 4.2. Most important symptoms and effects, acute and delayed

Symptoms/effects after inhalation	: Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure. Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing.
Symptoms/effects after eye contact	: None under normal conditions. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.

### 4.3. Indication of any immediate medical attention and special treatment needed, if necessary

Notes to physician	: Treat symptomatically
--------------------	-------------------------

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

Suitable extinguishing media	: Water spray, earth, sand, dry chemical powder or foam.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Fire hazard	: No fire hazard.
-------------	-------------------





USQUÍMICA

# SDS – SAFETY DATA SHEET

## EVA SIPCHEM 2518

FDS nº 252.35.2

Revision: 01

Review date: 02/06/2026

Page: 3/8

De acordo com a ABNT NBR 14725: 2023

Explosion hazard : No direct explosion hazard.

### 5.3. Special protective actions for fire-fighters

Firefighting instructions : Fight fire with normal precautions from a reasonable distance. Do not enter fire area without proper protective equipment, including respiratory protection.

Protection during firefighting : Wear recommended personal protective equipment.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Notify authorities if product enters sewers or public waters. Absorb spillage to prevent material-damage.

#### 6.1.1. For non-emergency personnel

Protective equipment : Wear recommended personal protective equipment.

Emergency procedures : Evacuate area. Only qualified personnel equipped with suitable protective equipment may intervene. Notify fire brigade and environmental authorities.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Evacuate unnecessary personnel. Stop leak if safe to do so.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and materials for containment and cleaning up

For containment : Stop leak, if possible without risk. Using a clean shovel, put the material in a dry container and cover without compressing it.

Methods for cleaning up : Take up mechanically (sweeping, shoveling) and collect in suitable container for disposal.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

Additional hazards when processed : Not expected to present a significant hazard under anticipated conditions of normal use.

Precautions for safe handling : Keep only in original container. Do not handle until all safety precautions have been read and understood. Wear personal protective equipment.

Hygiene measures : Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from sunlight.

Packaging materials : Always store product in container of same material as original container.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

No additional information available



# SDS – SAFETY DATA SHEET

## EVA SIPCHEM 2518

FDS nº 252.35.2

Revision: 01

Review date: 02/06/2026

Page: 4/8

De acordo com a ABNT NBR 14725: 2023

### 8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

### 8.3. Individual protection measures

#### Personal protective equipment:

Wear recommended personal protective equipment.

#### Hand protection:

Protective gloves

#### Eye protection:

Wear security glasses which protect from splashes

#### Skin and body protection:

Wear suitable protective clothing

#### Respiratory protection:

Where exposure through inhalation may occur from use, respiratory protection equipment is recommended

#### Personal protective equipment symbol(s):



## SECTION 9: Physical and chemical properties

### 9.1. Basic physical and chemical properties

Physical state	: Solid
Appearance	: Pellets
Color	: Clear, opaque, off-white
Odor	: Faint odor
Odor threshold	: Not available
pH	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flash point	: 260 °C
Auto-ignition temperature	: >340 °C estimated
Decomposition temperature	: Not available
Flammability	: Not available
Vapor pressure	: Not available
Vapor pressure at 50°C	: Not available
Relative vapor density at 20°C	: Not applicable
Relative density	: 0.92-0.95
Density	: Not available
Solubility	: insoluble in water.
Partition coefficient n-octanol/water (Log Kow)	: Not available



USIQUÍMICA

# SDS – SAFETY DATA SHEET

## EVA SIPCHEM 2518

FDS nº 252.35.2

Revision: 01

Review date: 02/06/2026

Page: 5/8

De acordo com a ABNT NBR 14725: 2023

Viscosity, kinematic	: Not applicable
Lower explosion limit	: Not applicable
Upper explosion limit	: Not applicable
Particle size	: Not available
Particle size distribution	: Not available
Particle shape	: Not available
Particle aspect ratio	: Not available
Particle specific surface area	: Not available

### 9.2. Data relevant with regard to physical hazard classes

No additional information available

### 9.3. Further safety characteristics

No additional information available

## SECTION 10: Stability and reactivity

Chemical stability	: Stable under normal conditions of use.
Conditions to avoid	: Extremely high or low temperatures. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
Hazardous decomposition products	: Monoxide and carbon dioxide and other irritant chemical substances.
Incompatible materials	: Fluorine, strong acids, strong oxidizers, chlorated solvents and aromatic compounds.
Possibility of hazardous reactions	: Reacts violently with fluorine.
Reactivity	: The product is non-reactive under normal conditions of use, storage and transport.
Handling temperature	: No additional information available

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral)	: Not available
Acute toxicity (dermal)	: Not available
Acute toxicity (inhalation)	: Not available
Skin corrosion/irritation	: Not available
Serious eye damage/irritation	: Not available
Respiratory or skin sensitization	: Not available
Germ cell mutagenicity	: Not available
Carcinogenicity	: Not available
Reproductive toxicity	: Not available
STOT-single exposure	: Not available
STOT-repeated exposure	: Not available
Aspiration hazard	: Not available

### 11.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after inhalation	: Dust of the product, if present, may cause respiratory irritation after an excessive inhalation exposure. Although no appropriate human or animal health effects data are known to exist, this material is expected to be an inhalation hazard.
Symptoms/effects after skin contact	: None under normal conditions. Dust may cause irritation in skin folds or by contact in combination with tight clothing.
Symptoms/effects after eye contact	: None under normal conditions. Dust from this product may cause eye irritation.
Symptoms/effects after ingestion	: None under normal conditions.



USIQUÍMICA

# SDS – SAFETY DATA SHEET

## EVA SIPCHEM 2518

FDS nº 252.35.2

Revision: 01

Review date: 02/06/2026

Page: 6/8

De acordo com a ABNT NBR 14725: 2023

### SECTION 12: Ecological information

#### 12.1. Toxicity

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
Hazardous to the aquatic environment, short-term (acute)	: Not available
Hazardous to the aquatic environment, long-term (chronic)	: Not available

#### 12.2. Persistence and degradability

##### EVA SIPCHEM 2518 (24937-78-8)

Persistence and degradability	Not rapidly degradable
-------------------------------	------------------------

#### 12.3. Bioaccumulative potential

No additional information available

#### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Hazardous to the ozone layer : Not available

### SECTION 13: Disposal considerations

Waste treatment methods	: Must follow special treatment according to local regulation.
Sewage disposal recommendations	: Disposal must be done according to official regulations.
Product/Packaging disposal recommendations	: Comply with applicable regulations for solid waste disposal. Disposal must be done according to official regulations.
Additional information	: Do not re-use empty containers.

### SECTION 14: Transport information

#### 14.1 National and international Regulations

##### Overland transport

UN-No. (ANTT)	: Not applicable
Proper Shipping Name (ANTT)	: Not applicable
Class (ANTT)	: Not applicable
Subsidiary risk (ANTT)	: Not applicable
Risk Number (ANTT)	: Not applicable
Packing group (ANTT)	: Not applicable
Special provision (ANTT)	: Not applicable

##### Transport by sea

UN-No. (IMDG)	: Not applicable
Proper Shipping Name (IMDG)	: Not applicable
Class (IMDG)	: Not applicable
Subsidiary hazard (IMDG)	: Not applicable



# SDS – SAFETY DATA SHEET

## EVA SIPCHEM 2518

FDS nº 252.35.2

Revision: 01

Review date: 02/06/2026

Page: 7/8

De acordo com a ABNT NBR 14725: 2023

Packing group (IMDG) : Not applicable  
EmS-No. (Fire) : Not applicable  
EmS-No. (Spillage) : Not applicable  
Special provision (IMDG) : Not applicable

### Air transport

UN-No. (IATA) : Not applicable  
Proper Shipping Name (IATA) : Not applicable  
Class (IATA) : Not applicable  
Subsidiary hazards (IATA) : Not applicable  
Packing group (IATA) : Not applicable  
Special provision (IATA) : Not applicable

### 14.2 Other information

No additional information available

## SECTION 15: Regulatory information

### 15.1. National regulations

Brazil Local Regulations : Standard ABNT NBR 14725.  
Federal Decree no. 10.088, of 5 November 2019 – Promulgates Convention no. 170 of the WLO, relating to Safety in the Use of Chemicals in the Workplace, ratified by the Federative Republic of Brazil.  
Ministerial Order no. 2.770, of 5 September 2022 – Approves the new wording of Regulatory Standard No. 26  
Federal Decree no. 96.044, of 18 May 1988 - Approves Regulations for Road Transportation of Hazardous Materials  
Resolution no. 5998, of 03 November 2022, updates the regulation for road transport of dangerous goods, approves its Complementary Instructions, and other measures.  
Law No. 12.305, of August 2, 2010 (National Policy on Solid Waste)

## SECTION 16: Other information

Ficha com Dados de Segurança (FDS), Brasil

Esta informação está baseada em nosso conhecimento atual e pretende descrever o produto tendo unicamente em vista os requisitos de saúde, segurança e meio ambiente. Não deve, portanto, ser interpretada como garantia de qualquer propriedade específica do produto.

Preparada por: Via Brasil Cafasso Consultoria em Transporte de Produtos Perigosos

Assina esta FDS:

MARIA CAFASSO

Consultora e especialista na elaboração de FDS

Integrante do comitê CB10 e CB16 ABNT

REFERÊNCIAS:

[ABNT NBR 14725] – Ficha com Dados de Segurança (FDS)

[RESOLUÇÃO Nº 5998/22 ANTT] Agência Nacional de Transportes Terrestres – Atualiza o Regulamento para o Transporte Rodoviário de Produtos Perigosos, aprova suas Instruções Complementares, e dá outras providências.

[NR-26 (MTE)] - Sinalização de Segurança.



USIQUÍMICA

# SDS – SAFETY DATA SHEET

## EVA SIPCHEM 2518

FDS nº 252.35.2

Revision: 01

Review date: 02/06/2026

Page: 8/8

De acordo com a ABNT NBR 14725: 2023

[HSNO] NOVA ZELÂNDIA. HSNO Chemical Classification and Information Database (CCID)

[ECHA] União Europeia. ECHA European Chemical Agency

[TERRESTRE, FERROVIAS, RODOVIAS]: Agência Nacional de Transporte Terrestre (ANTT);

HIDROVIÁRIO (MARÍTIMO, FLUVIAL, LACUSTRE): código International Maritime Dangerous Goods - Code (código IMDG); Norma-5 da Diretoria de Portos e Costas do Ministério da Marinha (DPC); Agência Nacional de Transporte Aquaviário (ANTAQ);

AÉREO: International Civil Aviation Organization - Technical Instructions (ICAO-TI). International Air Transport Association - Dangerous Goods Regulations (IATA-DGFT); Agência Nacional de Aviação Civil (ANAC).

\*Abreviações:

NA: Não Aplicável

ND: Não disponível

OSHA: Administração de Segurança e Saúde Ocupacional

LD50: Dose letal para 50% da população infectada

LC50: Concentração letal para 50% da população infectada

CAS: Chemical abstracts service

TLV-TWA: É a concentração média ponderada permitida para uma jornada de 8 horas de trabalho

TLV-STEL: É o limite de exposição de curta duração-máxima concentração permitida para uma exposição contínua de 15 minutos

ACGIH: É uma organização de pessoal de agências governamentais ou instituições educacionais engajadas em programas de saúde e segurança ocupacional.

ACGIH: Desenvolve e publica limites de exposição para centenas de substâncias químicas e agentes físicos.

PEL: Concentração máxima permitida de contaminantes no ar, aos quais a maioria dos trabalhadores pode ser repetidamente exposta 8 horas dia, 40 horas por semana, durante o período de trabalho (30 anos), sem efeitos adversos à saúde.

OSHA: Agência federal dos EUA com autoridade para regulamentação e cumprimento de disposições na área de segurança e saúde para indústrias e negócios nos USA.

IMDG: Internacional Maritime Code for Dangerous Goods – código internacional para o transporte de materiais perigosos via marítima.

DMEL: Nível Derivado de Efeito Mínimo

DNEL: Nível Derivado sem Efeito

PNEC: Concentração previsivelmente sem efeitos.

OIT - Organização Internacional do Trabalho

MTE - Ministério do Trabalho e Emprego